

卜 7 002285 卜 'E ~ 2017-035

M 'E~

7 M O P 'E

'E~	ψ ĭ η r	G̃	'E ρ	K v	Ẋ
	ì ρ		‰		≠ ĭ K

ρ

M O P

10,000 "H

≠

M O P

'E~ 'Y M O

P F 'E~ ĭ 'E~ 7 7

F 'E~ ĭ 'E~ ~

η G̃ L ' || № G̃ ĭ 7 G̃

p 'E~

~ M O P

1 ,

'E~ γ “ ” 'E~

M 7~ 3333. HK ρ 'E~

F 'E~ (γ “ F ” M

M 'E~ γ “ ” ĭ ĭ 'E~

2016 10 3 7 b 7 γ “ 7 b 7 ”

γ ò A M ĭ / U 100% ||

F

[illegible]

2 ʻY ǁ ǁ b ʻ ǁ 1° A 201 ~

ǁ ǁ ǁ ʻE˜

3 ǁ ↔

4 ʻY 1,000 ʻH

5 ǁ W ǁ r 3

6 2016 8 8

ʻE˜ ʻ ʻ ≠ ʻE˜

L 5% ǁ ǁ ʻ ʻ ≠

ʻE˜ L 5% ǁ

ʻ P O ǁ ʻ P O K ǁ

,

1 O ʻ O ʻ P

2 O ʻ P O

3 ʻ 269° ǁ 1 1603

4 ǁ P ʻ P ʻ H ʻE˜

5 ↔ O ǁ H ʻ

% ʻ % ʻ

6 ǁ r ʻ P ʻ P O ʻ P O

ǁ 2046 11 3

7 ʻ O ʻ P 2016 11 ʻ P O

2016 12 31 r ǁ

8 ʻ ʻE˜ ʻ P O ʻ ʻ ʻ %

ᐅᐅ P	ᐅᐅ P	ᐅᐅ	ᐅᐅ ᐅᐅ	ᐅ
ᐅᐅ P	ᐅᐅ H ᐅᐅ		10	0.010
ᐅᐅ P	ᐅᐅ ᐅᐅ		60,000	59.994
ᐅᐅ P			20,000	19.998
ᐅᐅ P	ᐅᐅ ᐅᐅ		20,000	19.998
ᐅᐅ			100,010	100.000

$\dot{\rho}_{\text{VII}} P O \sim \gamma^2 = \Psi \quad \forall = \Psi$
 $5 \quad \dot{t} \quad 3 \quad \vdash_{\text{VII}} P \quad 2 \quad \eta \quad r_{\text{VII}}$
 $P \quad \text{"} \quad = \quad \Psi \quad = \quad L \quad =$
 $\dot{t} \quad \gamma = \quad \Psi \quad \forall \quad \gamma \quad \sim \quad \text{VII} \quad P \quad \forall$
 3

$\text{'E}) \quad N_0 \quad \not\sim \quad \forall_{\text{VII}} P O \quad \eta \quad r_{\text{VII}} \quad P \quad \not\sim$
 $D \quad \dot{t} \quad \tilde{v}$

$\vdash \quad N_0$
 $) \quad L \quad \text{VII} \quad P \quad \dot{t} \quad \text{VII} \quad P O \quad \eta \quad N_0 \quad M$
 $\text{VII} \quad P \quad \sim \quad \dot{t} \quad \gamma_{\text{VII}} \quad P \quad \text{VII} \quad P \quad \text{VII} \quad P \quad \gamma$
 $\dot{t} \quad \text{VII} \quad P O \quad M \quad \dot{t} \quad \gamma_{\text{VII}} \quad P \quad \text{Đ} \quad \Pi \quad \tilde{\omega}$
 $\text{VII} \quad P \quad \gamma \quad \omega \quad \dot{t} \quad \text{VII} \quad P \quad \text{VII} \quad P O \quad M \quad \acute{k} \quad \text{VII} \quad P \quad \forall$
 $\forall \quad \text{VII} \quad P O \quad \text{VII} \quad P \quad \omega \quad \acute{k} \quad \text{VII} \quad P \quad \forall \quad \neq$
 $\vdash$

$\tilde{\eta})$

$\tilde{E}^x$
 $\tilde{E}^x$ $\tilde{\alpha}$ ρ ρ $\tilde{I}$ N_0
 $\tilde{I}$ ρ a ρ $\tilde{H}$
 ρ $\tilde{I}$ $\tilde{H}$ φ ρ
 ρ $\tilde{H}$
 $\tilde{E}$

M $\tilde{E}^x$
 ψ
 M